

# フラットバー (平鋼)

## Stainless Steel Flat Bars

### SUS 304

寸法名 Size (mm)	長さ Length (mm)	質量 Weight (kg/P)	H O T	C O L D
2 × 6 × 2000		0.190		○
8 × 2000		0.254		○
9 × 2000		0.286		○
10 × 3000		0.477		○
4000		0.636		○
15 × 4000		0.952	○	○
20 × 4000		1.27	○	○
25 × 4000		1.58	○	○
30 × 4000		1.90	○	○
32 × 4000		2.03	○	○
38 × 4000		2.41	○	
40 × 4000		2.54	○	○
50 × 4000		3.17	○	○
3 × 6 × 4000		0.429		○
7 × 4000		0.501		○
8 × 4000		0.570		○
9 × 4000		0.642		○
10 × 4000		0.952	○	○
12 × 4000		1.14	○	○
13 × 4000		1.24	○	○
15 × 4000		1.43	○	○
16 × 4000		1.52	○	○
19 × 4000		1.81	○	○
20 × 4000		1.90	○	○
22 × 4000		2.09	○	○
25 × 4000		2.38	○	○
30 × 4000		2.86	○	○
32 × 4000		3.04	○	○
35 × 4000		3.33	○	○
38 × 4000		3.62	○	○
40 × 4000		3.81	○	○
3 × 42 × 4000		4.00		○
45 × 4000		4.28	○	○
48 × 4000		4.56		○
50 × 4000		4.76	○	○
60 × 4000		5.72	○	○
65 × 4000		6.20	○	○
75 × 4000		7.12	○	○
100 × 4000		9.52	○	○
110 × 4000		10.5		○
120 × 4000		11.4		○
125 × 4000		11.9		○
130 × 4000		12.4		○
140 × 4000		13.3		○
150 × 4000		14.3		○
4 × 9 × 4000		1.14		○
10 × 4000		1.27		○
11 × 4000		1.40	○	○
13 × 4000		1.65		○
15 × 4000		1.90	○	○
16 × 4000		2.03	○	○
17 × 4000		2.16		○
19 × 4000		2.41	○	○
20 × 4000		2.54	○	○
22 × 4000		2.79	○	○
25 × 4000		3.17	○	○
30 × 4000		3.81	○	○
32 × 4000		4.08	○	○
35 × 4000		4.44	○	○
38 × 4000		4.84	○	○
40 × 4000		5.08	○	○
45 × 4000		5.72	○	○
4 × 50 × 4000		6.36	○	○
60 × 4000		7.60	○	○
65 × 4000		8.24	○	○
75 × 4000		9.52	○	○
100 × 4000		12.7	○	○
5 × 8 × 4000		1.27		○
9 × 4000		1.43		○
10 × 4000		1.58		○
12 × 4000		1.90		○
13 × 4000		2.06		○
15 × 4000		2.38	○	○
16 × 4000		2.54		○
19 × 4000		3.01	○	○
20 × 4000		3.17	○	○
22 × 4000		3.49	○	○
25 × 4000		3.96	○	○
30 × 4000		4.76	○	○
32 × 4000		5.08	○	○
34 × 4000		5.40		○
35 × 4000		5.56	○	○
38 × 4000		6.04	○	○
40 × 4000		6.36	○	○
50 × 4000		7.92	○	○
60 × 4000		9.52	○	○
65 × 4000		10.3	○	○
75 × 4000		11.9	○	○
90 × 4000		14.3	○	○
100 × 4000		15.8	○	○
130 × 4000		20.6		○
150 × 4000		23.8		○
6 × 9 × 4000		1.71		○
10 × 4000		1.90		○
12 × 4000		2.28		○
13 × 4000		2.48		○
15 × 4000		2.86	○	○
16 × 4000		3.04		○
18 × 4000		3.42		○
19 × 4000		3.62	○	○
20 × 4000		3.81	○	○
22 × 4000		4.20	○	○
25 × 4000		4.76	○	○
30 × 4000		5.72	○	○
32 × 4000		6.08	○	○
35 × 4000		6.68	○	○
38 × 4000		7.24	○	○
40 × 4000		7.60	○	○
42 × 4000		8.00		○
45 × 4000		8.56	○	○
48 × 4000		9.12		○
50 × 4000		9.52	○	○
60 × 4000		11.4	○	○
65 × 4000		12.4	○	○
70 × 4000		13.3	○	○
75 × 4000		14.3	○	○
90 × 4000		17.1	○	○
100 × 4000		19.0	○	○
110 × 4000		20.9	○	○
120 × 4000		22.8	○	○
125 × 4000		23.8	○	○
130 × 4000		24.8		○
140 × 4000		26.6		○
150 × 4000		28.6	○	○
7 × 20 × 4000		4.44	○	

# フラットバー (平鋼)

## Stainless Steel Flat Bars

### SUS 304

寸法名 Size (mm)	長さ Length (mm)	質量 Weight (kg/P)	H O T	C O L D
8 × 10 × 4000	2.54			○
16 × 4000	4.08		○	○
30 × 4000	7.61		○	
32 × 4000	8.12		○	○
38 × 4000	9.64		○	○
40 × 4000	10.2		○	
50 × 4000	12.7		○	○
65 × 4000	16.5		○	
75 × 4000	19.0		○	
100 × 4000	25.4		○	
9 × 13 × 4000	3.71			○
15 × 4000	4.28		○	○
16 × 4000	4.56		○	○
19 × 4000	5.44		○	○
20 × 4000	5.72		○	○
22 × 4000	6.28		○	○
25 × 4000	7.12		○	○
30 × 4000	8.56		○	○
32 × 4000	9.12		○	○
35 × 4000	10.0		○	
38 × 4000	10.8		○	○
40 × 4000	11.4		○	○
45 × 4000	12.8		○	
50 × 4000	14.3		○	○
55 × 4000	15.7		○	
60 × 4000	17.1		○	○
65 × 4000	18.6		○	○
75 × 4000	21.4		○	○
90 × 4000	25.7		○	○
100 × 4000	28.6		○	○
125 × 4000	35.7		○	○
9 × 150 × 4000	42.8		○	○
200 × 4000	57.2		○	○
250 × 4000	71.2		○	○
300 × 4000	85.6		○	○
10 × 15 × 4000	4.76		○	○
19 × 4000	6.04		○	○
20 × 4000	6.36		○	○
25 × 4000	7.92		○	○
30 × 4000	9.52		○	○
32 × 4000	10.2		○	○
35 × 4000	11.1		○	
38 × 4000	12.0		○	○
40 × 4000	12.7		○	○
50 × 4000	15.8		○	○
65 × 4000	20.6		○	○
75 × 4000	23.8		○	○
100 × 4000	31.7		○	○
125 × 4000	39.6		○	○
150 × 4000	47.6		○	○
200 × 4000	63.6			○
250 × 4000	79.2			○
12 × 14 × 4000	5.32			○
15 × 4000	5.72		○	
16 × 4000	6.08			○
19 × 4000	7.24		○	○
20 × 4000	7.60		○	○
25 × 4000	9.52		○	○
28 × 4000	10.6		○	
30 × 4000	11.4		○	○
32 × 4000	12.2		○	○
35 × 4000	13.3		○	○
12 × 38 × 4000	14.5		○	○
40 × 4000	15.2		○	○
50 × 4000	19.0		○	○
65 × 4000	24.8		○	○
70 × 4000	26.6		○	
75 × 4000	28.6		○	○
90 × 4000	34.2		○	○
100 × 4000	38.1		○	○
125 × 4000	47.6		○	○
150 × 4000	57.2		○	○
200 × 4000	76.0		○	○
250 × 4000	95.2		○	○
300 × 4000	114		○	○
16 × 19 × 4000	9.64			○
20 × 4000	10.2		○	○
25 × 4000	12.7		○	○
30 × 4000	15.2		○	
32 × 4000	16.2		○	○
35 × 4000	17.8		○	
38 × 4000	19.2		○	○
40 × 4000	20.3		○	○
50 × 4000	25.4		○	○
65 × 4000	33.0		○	○
75 × 4000	38.1		○	○
90 × 4000	45.6		○	
100 × 4000	50.8		○	○
125 × 4000	63.6		○	○
150 × 4000	76.0		○	○
200 × 4000	102		○	○
250 × 4000	127		○	○
300 × 4000	152		○	○
19 × 25 × 4000	15.1		○	○
30 × 4000	18.1		○	
32 × 4000	19.3		○	○
35 × 4000	21.1		○	
38 × 4000	22.9		○	○
40 × 4000	24.1		○	
50 × 4000	30.1		○	○
65 × 4000	39.2		○	○
75 × 4000	45.2		○	○
100 × 4000	60.4		○	○
125 × 4000	75.2		○	○
150 × 4000	90.4		○	○
200 × 4000	120		○	○
250 × 4000	151		○	○
300 × 4000	181		○	○
22 × 25 × 4000	17.4		○	
30 × 4000	20.9		○	
32 × 4000	22.3		○	○
35 × 4000	24.4		○	
38 × 4000	26.5		○	○
40 × 4000	27.9		○	
45 × 4000	31.4		○	
50 × 4000	34.9		○	○
65 × 4000	45.2		○	○
75 × 4000	52.4		○	○
100 × 4000	69.6		○	○
125 × 4000	87.2		○	
150 × 4000	105		○	
200 × 4000	140		○	
250 × 4000	174		○	

# フラットバー (平鋼)

## Stainless Steel Flat Bars

### SUS 304

寸法名 Size (mm)	長さ Length (mm)	質量 Weight (kg/P)	H O T	C O L D
25 × 32 × 4000	25.4	○	○	
38 × 4000	30.1	○	○	
40 × 4000	31.7	○		
50 × 4000	39.6	○	○	
60 × 4000	47.6	○		
65 × 4000	51.6	○	○	
75 × 4000	59.6	○	○	
100 × 4000	79.2	○	○	
125 × 4000	99.2	○	○	
150 × 4000	119	○		
200 × 4000	158	○		
250 × 4000	198	○		
30 × 50 × 4000	47.6	○	○	
55 × 4000	52.4	○	○	
65 × 4000	62.0	○	○	
75 × 4000	71.2	○	○	
100 × 4000	95.2	○	○	
125 × 4000	119	○		
150 × 4000	143	○		
200 × 4000	190	○		
35 × 50 × 4000	55.6	○	○	
65 × 4000	72.0	○	○	
75 × 4000	83.2	○	○	
100 × 4000	111	○	○	
125 × 4000	139	○		
150 × 4000	166	○		
40 × 50 × 4000	63.4	○		
65 × 4000	82.4	○		
75 × 4000	95.2	○		
100 × 4000	127	○		
125 × 4000	159	○		
150 × 4000	190	○		

### SUS 316 · SUS 316L

寸法名 Size (mm)	長さ Length (mm)	質量 Weight (kg/P)	H O T	C O L D
50 × 75 × 4000	119	○		
100 × 4000	158	○		
125 × 4000	198	○		
150 × 4000	238	○		
60 × 75 × 4000	143	○		
100 × 4000	190	○		
125 × 4000	238	○		
150 × 4000	286	○		
70 × 100 × 4000	222	○		
125 × 4000	278	○		
150 × 4000	333	○		
80 × 100 × 4000	254	○		
125 × 4000	317	○		
150 × 4000	381	○		
90 × 125 × 4000	357	○		
150 × 4000	428	○		
100 × 125 × 4000	396	○		
150 × 4000	476	○		

寸法名 Size (mm)	長さ Length (mm)	質量 Weight (kg/P)	H O T	C O L D
3 × 20 × 4000	1.92	○		
25 × 4000	2.39	○		
30 × 4000	2.87	○		
32 × 4000	3.06	○		
38 × 4000	3.64	○		
40 × 4000	3.83	○		
50 × 4000	4.80	○		
4 × 25 × 4000	3.19	○		
30 × 4000	3.83	○		
40 × 4000	5.12	○		
50 × 4000	6.40	○		
5 × 20 × 4000	3.19	○		
25 × 4000	3.99	○		
30 × 4000	4.80	○		
40 × 4000	6.40	○		
50 × 4000	8.00	○		
6 × 25 × 4000	4.80	○		
30 × 4000	5.76	○		
32 × 4000	6.12	○		
38 × 4000	7.28	○		
40 × 4000	7.68	○		
50 × 4000	9.56	○		
65 × 4000	12.4	○		
75 × 4000	14.4	○		
100 × 4000	19.2	○		
9 × 25 × 4000	7.20	○		
30 × 4000	8.60	○		

寸法名 Size (mm)	長さ Length (mm)	質量 Weight (kg/P)	H O T	C O L D
9 × 32 × 4000	9.20	○		
38 × 4000	10.9	○		
50 × 4000	14.4	○		
65 × 4000	18.7	○		
75 × 4000	21.6	○		
90 × 4000	25.8	○		
100 × 4000	28.7	○		
10 × 50 × 4000	16.0	○		
100 × 4000	31.9	○		
12 × 25 × 4000	9.56	○		
32 × 4000	12.2	○		
38 × 4000	14.6	○		
50 × 4000	19.2	○		
65 × 4000	24.9	○		
75 × 4000	28.7	○		
100 × 4000	38.2	○		
16 × 32 × 4000	16.4	○		
38 × 4000	19.4	○		
50 × 4000	25.5	○		
65 × 4000	33.2	○		
75 × 4000	38.3	○		
100 × 4000	51.2	○		
19 × 50 × 4000	30.3	○		
65 × 4000	39.4	○		
75 × 4000	45.6	○		
100 × 4000	60.8	○		

# アングル (山形鋼)

## Stainless Steel Angles

# チャンネル (溝形鋼)

## Stainless Steel Channels

### SUS 304

寸法名 Size (mm)	長さ Length (mm)	質量 Weight (kg/P)
3 × 20 × 20 × 4000		3.58
25 × 25 × 4000		4.52
30 × 30 × 4000		5.48
6000		8.22
40 × 40 × 4000		7.40
6000		11.1
50 × 50 × 4000		9.48
6000		14.2
4 × 40 × 40 × 4000		9.64
6000		14.5
50 × 50 × 4000		12.4
6000		18.5
5 × 40 × 40 × 4000		11.9
6000		17.9
45 × 45 × 6000		20.5
50 × 50 × 4000		15.2
6000		22.9
6 × 30 × 30 × 6000		15.2
35 × 35 × 6000		18.2
40 × 40 × 6000		21.0
50 × 50 × 4000		17.9
6000		26.9
60 × 60 × 6000		32.6
65 × 65 × 4000		23.9
6000		35.8
75 × 75 × 4000		27.7
6000		41.5
100 × 100 × 4000		37.3
6000		55.9
8 × 65 × 65 × 6000		46.4
80 × 80 × 4000		38.5
6000		57.8
100 × 100 × 6000		73.2

寸法名 Size (mm)	長さ Length (mm)	質量 Weight (kg/P)
9 × 50 × 50 × 6000		38.6
75 × 75 × 4000		40.4
6000		60.6
90 × 90 × 6000		73.8
125 × 125 × 6000		103
10 × 100 × 100 × 4000		60.4
6000		90.6
12 × 125 × 125 × 6000		136
15 × 125 × 125 × 6000		168

### SUS 329J4L

寸法名 Size (mm)	長さ Length (mm)	質量 Weight (kg/P)
4 × 40 × 40 × 6000		14.2
5 × 40 × 40 × 6000		17.6

### SUS 304

寸法名 Size (mm)	長さ Length (mm)	質量 Weight (kg/P)
3 × 20 × 40 × 20 × 6000		10.8
25 × 50 × 25 × 6000		13.7
4 × 50 × 100 × 50 × 6000		37.1
5 × 40 × 80 × 40 × 6000		35.9
50 × 100 × 50 × 6000		45.9
6 × 50 × 100 × 50 × 6000		54.1
60 × 120 × 60 × 6000		65.4
65 × 130 × 65 × 6000		72.0
75 × 150 × 75 × 6000		83.4
9 × 75 × 150 × 75 × 6000		122
10 × 100 × 200 × 100 × 6000		182

# H形鋼

## Stainless Steel H Beams

### SUS 304 熱間成形

寸法名 Size (mm)	長さ Length (mm)	質量 Weight (kg/m)
100×100× 6 × 8 × 6000		17.1
125×125×6.5× 9 × 6000		23.8
148×100× 6 × 9 × 6000		20.9
150×150× 7 × 10 × 6000		31.4

### SUS 304 溶接

寸法名 Size (mm)	長さ Length (mm)	質量 Weight (kg/m)
100×100× 6 × 8 × 6000		16.7
125×125× 7 × 9 × 6000		23.8
150×150× 8 × 10 × 6000		32.0
200×100× 6 × 8 × 6000		21.4
200× 8 × 12 × 6000		49.2
250×125× 6 × 9 × 6000		28.9
250× 9 × 14 × 6000		71.4
300×300× 10 × 16 × 6000		97.4